



NEW YORK STUCCO™

Safety Data Sheet New York Stucco™ Fiberglass Mesh Revision Date: June 19, 2014

1. Identification

Trade Name: New York Stucco™ Fiberglass Mesh

Company: Formulated Solutions LLC
25-44 Borough Place
Woodside, NY, 11377

Telephone: 718-267-6380
Emergency Phone #: 718-267-6380

IN THE EVENT OF A CHEMICAL EMERGENCY INVOLVING A SPILL, LEAK, FIRE, EXPLOSION, EXPOSURE OR ACCIDENT, CONTACT THE FOLLOWING NUMBERS:

EMERGENCY 24 hours numbers:
USA: CHEMTREC 1-800-424-9300
CANADA: CANUTEC 1-613-996-6666

2. Hazard Identification

EMERGENCY OVERVIEW WARNING: This product is NOT considered hazardous under 29 CFR 1910.1200 (Hazard Communication) and the Canadian Workplace Hazardous Materials Information System (WHMIS).

KEEP FROM CHILDREN!

Safety Precautions: Use positive ventilation. Mechanical fabrication, sanding, etc. requires the use of safety glasses or goggles and dust mask.

Hazard Pictogram: NONE

Signal Words: NONE

Inhalation: May cause irritation

Eye Contact: May cause mechanical irritation of the eye.

Skin Contact: May produce slight skin irritation in a few individuals.

Ingestion: Biologically inert. May act as an obstruction if swallowed.

3. Composition/Information on Ingredients

Ingredient Name	CAS #	Percent
Fiberglass Textile Continuous Filament Glass Fiber	65997-17-3	99%

4. First Aid Measures

Inhalation: If overcome by exposure, remove to fresh air. Seek medical attention.

Eye Contact: Do not rub eyes. Immediately flush with water for 15 minutes. Remove contact lenses (if applicable). Seek medical attention if irritation persists.

Skin Contact: Wash exposed skin with cool water and a pH neutral soap or mild detergent. Consult physician if irritation persists.

Ingestion: Not expected to present significant ingestion hazard. Consult physician if swallowed.

5. Fire Fighting Measures

Flammability: New York Stucco Fiberglass Mesh is not considered flammable.

Extinguishing Media: Dry chemical Type ABC preferred, water fog, foam, carbon dioxide.

Fire Fighting Equipment/Instructions: Firefighters should wear full protective clothing including self-contained breathing apparatus. Keep upwind of fire. Always be cognizant of an immediate exit in case of a fire.

6. Accidental Release Measures

No special precautions.

Disposal: See Section 13

7. Handling and Storage

Handling/Storage Measures: Keep containers in a clean, cool and dry area away from heat sources. Natural ventilation is adequate. Wear recommended personal protective equipment when handling.

8. Exposure controls and Personal Protection

Exposure Guidelines:

Occupational Exposure Limits

Ingredient	OSHA-PEL	ACGIH-TLV
Continuous filament, glass fiber	15mg/ m ³ (T) 5mg/ m ³ (R)	10 mg/m ³ (T) 5 mg/ m ³ (R)

Skin Protection: Wear protective gloves and long sleeve shirts/pants to prevent skin contact.

Eye Protection: Wear safety glasses with side shields.

Respiratory Protection: In poorly ventilated areas or if the exposure limits are likely to exceed exposure levels, then wear a high efficiency particulate Respirator (NIOSH type N95 filter). Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).

Engineering Controls: Use ventilation adequate to maintain safe levels if overheating or dust occurs during processing.

9. Physical and Chemical Properties

Physical State: Solid

Appearance: Woven Glass Fabric

Color: White

Odor: N/A

pH: N/A

Melting Point: N/A

Initial Boiling Point: N/A

Flash Point: N/A

Flammability: N/A

Lower Flammability/Explosive Limit: N/A

Upper Flammability/Explosive Limit: N/A

Vapor Pressure: N/A

Vapor Density: N/A

Specific Gravity: N/A

Solubility: N/A

Auto Ignition Temperature: N/A

Decomposition Temperature: N/A F

Viscosity: N/A

Oxidizing Properties: N/A

Explosive Properties: N/A

10. Stability and Reactivity

Stability: This product is stable. Keep dry until used.

Reactivity: No dangerous reaction known under conditions of normal use.

Incompatibility (Materials to Avoid): None known.

Conditions to Avoid: None known.

Hazardous Decomposition or Byproducts: May include carbon dioxide, carbon monoxide, styrene and other organic vapors.

Hazardous Polymerization: Will not occur.

11. Toxicological Information

General: No toxicity information is available on this specific preparation; this health hazard assessment is based on information that is available on the properties of its components.

Likely Routes of Exposure: Skin contact, inhalation..

Carcinogenicity: IARC has classified Continuous Filament Fiberglass as Group 3, not classifiable as to human carcinogenicity.

12. Ecological Information

No relative information is available concerning the effects of this product on the environment.

13. Disposal Considerations

Dispose in a manner consistent with local, state, regional, provincial and/or Federal Regulations.

14. Transport Information

U.S. DOT: Not regulated as dangerous goods.

International Transportation: Not regulated as dangerous goods.

Class: 55

Special Precautions for User: Do not handle until all safety precautions are understood.

Transport Emergency: In the event of a transport emergency contact CHEMTREC at 1 800 424-9300

15. Regulatory Information

US: SDS prepared in accordance with the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Canada: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

16. Other Information

KEEP FROM CHILDREN!

Disclaimer: The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects caused by purchase, resale, use or exposure to this product. Customers-users of this product must comply with all applicable health and safety laws, regulations, and orders, including the OSHA Hazard Communication Standard.

Key/Legend: ACGIH = American Conference of Governmental Industrial Hygienists; CAS = Chemical Abstracts Services; CP65 = California Proposition 65; DOT = Department of Transportation; DSL = Domestic Substances List; EPA = Environmental Protection Agency, HMIS = Hazardous Materials Identification System; IARC = International Agency for Research on Cancer; NDSL = Non-Domestic Substances List; NFPA = National Fire Protection Association; NIOSH = National Institute for Occupational Safety and Health; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration; PEL = Permissible Exposure Limit; TLV = Threshold Limit Value; TSCA = Toxic Substances Control Act; WHMIS = Workplace Hazardous Materials Information System

New York Stucco™ is a trademark of Formulated Solutions LLC

Prepared By: Formulated Solutions LLC
25-44 Borough Place
Woodside, NY, 11377
718-267-6380

Version: 1.000

Revision Date: June 19, 2014

END OF SAFETY DATA SHEET